

**IN THE CLAIMS:**

---

1. (Currently Amended) An ultrasonic surgical instrument comprising:  
an end effector including blade and clamp means for the engagement of tissues  
located therebetween;

an elongated shaft element having said end effector arranged at a first end  
thereof;

an elongated tubular member extending about said elongated shaft element in  
coaxial relationship, said clamp means being movable relative to said blade and said tubular  
member, said elongated tubular member having a first end in operative engagement with said  
end effector; and

Al  
a handle portion for receiving second opposite ends of respectively said  
elongated shaft element and said elongated tubular member, said handle portion including  
finger-actuatable scissors-like thumb and finger ring structure for imparting axial  
displacement between said elongated shaft element and said elongated tubular member, said  
tubular member biasing said clamp means so as to cause said blade and clamp means to  
~~selective~~ selectively open and close relative to each other.

2. (Currently Amended) An ultrasonic surgical instrument as claimed in Claim  
1, wherein said elongated tubular member transmits ultrasonic energy to the end effector and  
is fixedly attached to said handle portion, said thumb and finger ring structure having a  
pivotal portion hingedly connected to the second end of said elongated shaft element,  
whereby actuation of said pivotal portion imparts said axial displacement to said elongated  
shaft element relative to said elongated tubular member.

3. (Original) An ultrasonic surgical instrument as claimed in Claim 2, wherein said pivotable portion is rotatable about a pivot boss fixed to a stationary part of said handle portion.

4. (Original) An ultrasonic surgical instrument as claimed in Claim 3, wherein an insertion arm on said pivotable portion is operatively engaged with said elongated shaft element for imparting axial movement thereto responsive to rotation of said pivotable portion about said pivot surfaces.

A1  
5. (Original) An ultrasonic surgical instrument as claimed in Claim 1, wherein said elongated tubular member has the second end thereof slidably journaled in said handle portion, said elongated shaft element being fixedly attached to said handle portion, said thumb and finger ring assembly having a pivotable portion operatively connected with said second end of said elongated tubular member, whereby actuation of said pivotable portion imparts said axial displacement to said elongated tubular member relative to said elongated shaft element.

6. (Original) An ultrasonic surgical instrument as claimed in Claim 5, wherein said pivotable portion is rotatable about a pin fastened to said handle portion, said pivotable portion including an actuating extension engageable into an aperture in said elongated tubular member for imparting the axial displacement thereto responsive to rotational movement of said pivotable portion.

7. (Original) An ultrasonic surgical instrument as claimed in Claim 1, wherein said first end of said elongated shaft element and of said elongated tubular member comprise

cooperative camming structure for selectively opening and closing said blade and clamp means responsive to relative axial movement between said shaft element and tubular member.

8. (Original) An ultrasonic surgical instrument as claimed in Claim 1, wherein the blade of said end effector comprises a coaxial tip on said elongated shaft element.

9. (Currently Amended) An ultrasonic surgical instrument as claimed in Claim 8, wherein said blade ~~comprises a stub shaft~~ is integrally formed at the first end of said elongated shaft element, whereby said shaft element forms an ultrasonic blade extender.

A1  
10. (Currently Amended) An ultrasonic surgical instrument as claimed in Claim 8, wherein said blade ~~comprises a stub shaft which~~ is detachably fastened to the first end of said elongated shaft element, whereby said shaft element forms an ultrasonic blade extender.

11. (Currently Amended) An ultrasonic surgical instrument as claimed in Claim 10, wherein said blade is detachably fastened to said elongated shaft element through a screw threaded connection.

12. (Currently Amended) An ultrasonic surgical instrument as claimed in Claim 1, ~~wherein said~~ further comprising cam means ~~comprises~~ having a cam arm mounted on said blade for pivotal movement relative thereto.

13. (Original) An ultrasonic surgical instrument as claimed in Claim 1, wherein said handle portion includes latching pushbutton means for release of said blade and clamp assembly.

14. (Original) An ultrasonic surgical instrument as claimed in Claim 1, wherein a plurality of axially spaced silastic rings are formed at nodes along the length of said elongated shaft element and blade so as to prevent dispersion of ultrasonic waves to said surrounding elongated tubular member during operation of said instrument.

15. (Original) An ultrasonic surgical instrument as claimed in Claim 1, wherein spring limiter means are formed on said elongated tubular member so as to absorb excessive operating forces and stresses generated responsive to actuation of said handle portion.

AI  
16. (New) An ultrasonic surgical instrument comprising:  
an end effector including blade and clamp means for the engagement of tissues located therebetween;

an elongated shaft element having said end effector arranged at a first end thereof;

an elongated tubular member extending about said elongated shaft element in coaxial relationship, said clamp means being movable relative to said blade and said tubular member, said elongated tubular member having a first end in operative engagement with said end effector; and

a handle portion for receiving second opposite ends of respectively said elongated shaft element and said elongated tubular member, said handle portion including finger-actuatable scissors-like thumb and finger ring structure for imparting axial displacement between said elongated shaft element and said elongated tubular member, said tubular member biasing said clamp means so as to cause said blade and clamp means to selectively open and close relative to each other;

wherein said elongated tubular member transmits ultrasonic energy to the end effector and is fixedly attached to said handle portion, said thumb and finger ring structure having a pivotable portion hingedly connected to the second end of said elongated shaft element, whereby actuation of said pivotable portion imparts said axial displacement to said elongated shaft element relative to said elongated tubular member.

17. (New) An ultrasonic surgical instrument comprising:

A1  
an end effector including blade and clamp means for the engagement of tissues located therebetween;

an elongated shaft element having said end effector arranged at a first end thereof, the clamp means being pivotally attached to the first end of the elongated shaft element;

an elongated tubular member extending about said elongated shaft element in coaxial relationship, said clamp means being pivotable relative to said blade and said tubular member, said elongated tubular member having a first end in operative engagement with said end effector; and

a handle portion in operatively connected to one or more of the elongated shaft element and elongated tubular member for actuating the blade and clamp means between open and close positions.